

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1866.

ADELAIDE:

W. C. COX, GOVERNMENT PRINTER, VICTORIA-SQUARE.

1867.

REPORT.

General Register of Births, &c., Office, Adelaide,
January 29th, 1867.

Sir—I have the honor to forward returns of Births, Deaths, and Marriages for the year ended December 31, 1866.

The births registered were 6,782, the deaths 2,753, and the marriages 1,299.

The natural increase of the population is 4,029.

The number of births registered is higher than that of any preceding year; being 110 in excess of the highest. On reference to records of preceding years it will be found, that the number of births has not invariably increased in each successive year. Thus in 1861 less were registered than in 1860; and those of 1863 were less than those of 1862. Since the year 1863, a greater or less increase has prevailed. The determination of this increase is not accounted for. The births of 1864 exceeded those of 1863 by 244; those of 1865 were in excess of the preceding year, 464; while, again, the births of 1866 exceed only to the extent of 110, as stated above. The increase and decrease cannot be affected to any great extent by the natural increase of the population of former years, which, as yet, results only in a total, numerically higher, without comprehending an increase in the respective ages, regarded as the marriageable. This irregularity in the rate of increase has prevailed for some years; and does not appear to be so affected by the number of marriages as to allow of the confident expectation of future augmentation.

The ratio per cent. of births to the population is not under that of any European country. This birth-rate is 4.092. The birth-rate will be better expressed by obtaining it exclusively in relation to the marriageable ages. Out of a total population of 78,118 women, the number between the ages 15 and 45, is 34,084. The birth-rate to each hundred of this number is 19.88. That of England, relatively to the same ages and proportional numbers, is 14.7.

The comparative birth rate per 1,000 of the whole population may be thus stated—that of England, 35.0; of France, 26.4; of Belgium, 29.6; South Australia, 41.6. This rate must, from time to time, decrease, as the higher ages of the population become more fully supplemented; when immigration ceases to supply the able-bodied, and thus allow the healthy and the sick to assume that relation, which is the normal condition of a long-settled country.

As another mode of estimating the natural increase, it may be stated, that here, the estimate of the number of births to each marriage is 5.3; while in none of the divisions of France does it exceed 4.7.

In about one-half of the Registration Districts there has been an actual decrease in the number of births, comparatively with those of 1865, but in none to any great extent; on the other hand, the increase to the remainder has been slight. The District of Adelaide has recorded, during the year, 2,886, against 3,011 in 1865. This is, in part, accounted for by County Daly, formerly included in that district, having been proclaimed a separate district. These two districts combined have registered 3,024 births; which show only an increase of 13 above the previous year.

The number of deaths, 2,753, exceeds the highest of any previous year (1864) by 188; but the rate per cent., 1.689, is less than that of the same year referred to—1.827.

This increase in the actual number of deaths is generally prevalent throughout the Province, most of the districts showing an increase above the previous year. In the District of Adelaide (including Daly) the deaths registered were 309 above those of 1865. This being not merely a numerical increase, but an increase also in the ratio, it must be inferred that the year has been more unhealthy. The population of this district has been corrected by the last Census. That apportioned is 2,239 above the estimated population of 1865.

Notwithstanding, the rate for every hundred is 2·68, while the preceding year, with a less population, is 2·30. It will be found, on reference, that the seasons from January to July have been more unhealthy than the corresponding seasons of previous years. The increase in the first three months is deserving of attention, being 113, 108, and 133 above the record of those respective months in 1865. From April to June, the excess is but 85, 60, and 75, followed by a sudden lessening in July to 8. August does not show so large a number, as in the last year, by 14. September is 15 in excess. October and November 19 and 15 in diminution; and December 30 above. The general conclusion from the foregoing is, that whatever amount of unhealthiness appears in the year, is exhibited in the first half, and, more especially in the first quarter.

Attention then is directed particularly to these first three months; and a comparison will show that any excess found is not attributable to the fatal results of one class of diseases alone. All classes remarkably exceed—the statement of the following comparative numbers will exhibit this. Thus in these months, the numbers registered under the different classes were, in—

1865.	Zymotic, 140.	Constitutional, 50.	Local, 157.	Developmental, 99.
1866.	“ 268	“ 88	“ 249	“ 201

From the above then, it is concluded that the three months of the year under consideration were, in some way, favorable to the development of every class of disease.

Referring to the months, zymotic diseases are found to prevail most from January to June; then to decrease very rapidly to October, when they arrive at their minimum; and, again, subsequently, to rapidly increase.

The prevalence of constitutional diseases varies from 37 in April to 12 in July. No one successive month greatly preponderates over the preceding, except where a sudden change is exhibited in the last two months of the year, when the deaths in December exceed those of November by double.

The order of the local is the following—from November to March, 73, 100, 91, 77; then an increase in April to 84; followed, in the succeeding months, by the numbers, 85, 77, 66, 69, 44, and 39 (October).

Developmental diseases, intimately connected with infant life, prevail most in the six months, from January to June, when they number collectively, 422; and in the last six months they decrease, in the total amount, to nearly one-half, 215. As correlative with the foregoing, it has to be stated that the deaths of children under one year, from developmental diseases, were, from January to June, 322; from July to December, 146, considerably less than one-half.

The deaths of males exceed those of females by 321; the births of males also being 158 in excess. This 158 is counterbalanced by the excess of deaths amongst males under one year. The excess of deaths of males above those of females is exhibited under different ages; but, principally, from the ages 35 to 65, when they often exceed by one-third, and occasionally by one-half. In 1865, the deaths of males exceeded those of females by 266. The male-births, however, were only 66 in excess, giving a greater female surplusage in that year than in 1866.

In considering the deaths of children under five years of age much perplexity occurs, which only a longer continuation of statistical records in South Australia can do away with. On reference to the “Miscellaneous Statistics of the United Kingdom,” compiled by Mr. Fonblanque, the proportion of deaths of children under five years, to the whole number re-

gistered, in the undermentioned three years, was as follows:—1858, 41·5; 1859, 41·8; 1860, 39·4. In South Australia the proportions are the following:—1864, 55·8; 1865, 52·8; 1866, 53·5. The above appears to the disadvantage of South Australia. There are, however, several modifications to be taken into account.

The relative numbers of the population, under the various ages, are different in England and South Australia. In the latter country, the mature ages do not approximate to the full proportional complement of the same in England. The infant population is comparatively excessive; and thus the proportion of deaths, under 5, must appear in the same excess. As the number of the population in the higher ages increases, the deaths under those ages will also increase, and thus lessen the proportion of infant deaths.

The low death-rate, for every hundred of the population, 1·689, compared with that of England, 2·236, has also to be considered. This comparative low rate does not necessarily result from superior local healthiness alone, but also from a numerical deficiency in the higher ages.

Dr. Farr, in a paper on the “Mortality of Children,” has said, “What is the proportion of deaths under the age of five, out of one hundred children that see the light? In Norway, 17; Denmark, 20; Sweden, 20; England, 26; Belgium, 27; France, 29; Prussia, 32; Holland, 33; Austria, 36; Spain, 36; Russia, 38; Italy, 39.” In answering that same question for South Australia, it is satisfactory to be able to state that the proportion is but 23.

From the following comparative statement, exhibiting the fatality of different diseases in England, Scotland, and South Australia, it will be seen that this Province appears to disadvantage especially in the mortality resulting from atrophy, debility, diarrhoea, and teething.

Infants under one year in England, Scotland, and South Australia, their chief causes of death, and the proportion of deaths from each disease, to the total infants living:—

	England, 1860.	Scotland, 1860.	S. Australia, 1 66.
Premature Births, Atrophy, and Debility	4·49	3·32	5·50
Convulsions	3·50	0·61	2·50
Pneumonia	1·66	0·75	0·20
Bronchitis	1·16	1·82	0·10
Diarrhoea	0·85	0·27	2·70
Whooping Cough	0·60	0·74	—
Hydrocephalus	0·44	0·71	0·30
Tabes Mesenterica	0·33	0·21	0·10
Teething	0·33	0·55	1·80
Measles	0·29	0·35	—
Scarlatina	0·18	0·24	—
Phthisis	0·15	0·23	0·10
Thrush	0·14	0·03	0·30
Enteritis	0·14	0·46	0·40
Smallpox	0·11	0·46	—
Croup	0·10	0·20	0·05
Cephalitis	0·09	0·06	0·02
Total	17·03	14·89	14·60

Diseases not enumerated above, and for which no comparative data are afforded, are fatal, to a great extent, in South Australia, such as dysentery and disease of the brain.

The percentage of deaths to the population in England and South Australia, under stated ages, exhibits, chiefly, the numerical deficiency of the South Australian population relatively to those ages:—

	England.	S. Australia,
1 Year	7·29	12·1
5 “	0·88	0·83
10 “	0·51	0·20
15 “	0·79	0·35

	England.	S. Australia.
25 Years.....	0.98	0.53
35 "	1.28	0.68
45 "	1.87	0.48
55 "	3.19	1.17
65 "	6.61	1.07
75 "	14.63	3.08
85 and above	29.20	0.05

In noticing the deaths arising from the various diseases included in the Annual Returns, those of a typhoid character demand special attention. The number of such registered is 216, being an increase above that of 1864, 169; and of 1865, 137. The months in which these resulted in the greatest mortality were from March to June; in which last month 45 died—a number 27 above the average of the twelve months, and 43 above the lowest. A reference to the returns of these diseases for some years back will show that, whether the aggregate registered in any one year be large or small, the proportional numbers of the three months, April, May, and June greatly exceed the rest. There seems thus to be an affinity between these diseases and that season. The sudden numerical decrease from 45 in June to 14 in July is also remarkable, as well as the gradual lessening in the succeeding months till the numbered registered, in October, is but 2. No age, to 60 years, has been exempt from the fatal effects of these. From fifteen to thirty the mortality was greatest—very many, of both sexes, having died at twenty years of age.

Diphtheria, which has comprehended not less than 100 deaths for several preceding years, numbers but 36 in 1866; and croup is considerably below the average.

Dysentery has slightly increased, but to no extent deserving special attention. Diarrhoea is 70 in excess of the preceding year. Cholera, also, which in the previous five years had not risen to above 5, increased in this year to 18.

Phthisis, or consumption, also, to a slight extent, exceeds the highest of any former year; but the ratio of this disease rises and falls in different years, and is not exclusively affected by a relation to the numbers of the population. Thus deaths from this disease were in 1861-2, 137, 141; from 1863-5, 118, 103, 118; and in 1866, 176.

Convulsions and diseases of the brain have increased; the one by 30, the other, by 40.

Diseases of the respiratory organs exhibit no great difference. Bronchitis and Pneumonia are less.

Gastritis and enteritis have assigned to them larger numbers than those of any year to 1861. A considerable number of deaths has always been allotted to the first; but those arising from the last have increased from 9 in the previous year to 34 in this.

Disease of the stomach is less by 18. No other diseases demand special remark; many are numerically less, and all under the rate of previous years, until arriving at those incident to teething, where the number has increased from 77 (1865) to 133. Atrophy and debility are also in excess, 130.

Deaths arising from accidents and negligence are precisely the same in number as those of 1865.

The marriages celebrated are 137 less than those of 1865. This decrease prevails in eleven out of the seventeen religious denominations. German Lutherans, Christians, Baptists, Primitive Methodists, and Unitarians have celebrated more marriages in this year than in the preceding. Those celebrated in the presence of District Registrars were more numerous by 12.

The number of persons married, with the exception of 13 males, from 15 to 20 years of age, in excess, decreased, with both sexes, to the age of 30. The number at 35 increased. The numbers vary slightly until arriving at 50, when the number of males is doubled. Those at 60 also increased. There has to be added to the number 6 persons between 65 and 70; none having married, at these ages, in 1865.

In the absence of marked and distinct nationalities and classes, it would be hazardous to particularize. Nevertheless, it may be safe to infer, from a diminution in the whole number of marriages, that the times and seasons have not been as favorable as heretofore.

I have the honor, &c.,

JOHN F. CLELAND

Registrar-General of Births, Deaths, and Marriages.

To the Hon. the Chief Secretary.

Marriages Registered.

By the Church of England	325
" Presbyterian Church of South Australia	108
" Roman Catholic Church	183
" German Lutheran Church	48
" Evangelical Lutheran Church	53
" Congregational Independent Church	122
" Wesleyan Church	164
" Christians	14
" Free Presbyterian Church	1
" Baptist Church	47
" Bible Christian Church	81
" Primitive Methodist Church	94
" Methodist New Connexion	6
" Friends	—
" Moravian Church	1
" Jews	3
" Unitarian Church	6
" District Registrars	43

1,299

Persons Married.

Ages	15 to 20		25		30		35		40		45		50		55		60		65	70	Full.		Minor.		Un-stated.		Total.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	M.	M.	M.	F.	M.	F.	M.	F.	M.	F.
Quarters ended																												
March 31.....	15	103	135	115	80	39	26	12	13	3	8	5	7	2	—	2	3	1	—	—	36	34	—	4	—	3	323	323
June 30	16	119	140	121	80	32	35	13	12	11	5	7	5	2	4	1	1	—	—	1	31	17	—	7	—	—	330	330
September 30	17	102	116	105	73	34	34	20	12	6	7	1	9	4	1	3	1	—	2	2	34	24	—	9	—	—	308	308
December 31	22	112	134	110	79	48	27	15	14	8	9	4	6	2	2	1	5	2	1	—	39	35	—	1	—	—	338	338
Total.....	70	436	525	451	312	153	122	60	51	28	29	17	27	10	7	7	10	3	3	3	140	110	—	21	—	3	1,299	1,299

Return of Births and Deaths registered in the Districts of the Province

DISTRICTS.	Population.			Births.			Per cent.	Ages... 1		2		3		4		5		10		15		20		25	
	M.	F.	Total.	M.	F.	Total.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Adelaide	27,029	27,927	54,956	1,453	1,433	2,886	5.24	357	285	48	33	6	13	14	9	17	27	14	15	12	17	26	23	39	28
Willunga	2,284	2,188	4,472	73	69	142	3.2	13	6	—	2	—	—	—	—	—	1	2	—	—	1	—	3	2	—
Yankalilla	1,967	1,690	3,657	64	64	128	3.5	6	8	1	—	—	1	—	—	2	2	—	—	—	1	1	2	—	—
Encounter Bay	1,768	1,597	3,365	79	79	158	4.8	6	1	2	3	1	1	—	1	—	1	2	—	—	—	1	3	1	1
Strathalbyn	2,807	2,468	5,275	166	150	316	6.0	27	16	6	7	4	2	1	1	—	1	3	1	4	1	3	1	2	3
Robe	969	765	1,734	52	51	103	6.1	5	6	1	5	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Grey	3,591	2,909	6,500	143	138	281	4.3	14	22	5	6	—	—	1	1	1	3	—	4	2	2	—	—	—	—
Wellington	930	609	1,539	c	9	14	.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Morphett Vale	1,318	1,199	2,517	63	63	126	5.0	12	4	1	1	—	—	—	—	1	—	—	—	—	—	1	1	—	2
Mount Barker	1,502	1,535	3,037	48	49	97	3.2	11	5	2	—	—	—	—	—	1	1	1	—	1	—	2	2	1	—
Nairne	3,443	3,204	6,647	140	128	268	4.0	21	17	—	3	2	3	—	—	1	1	3	2	1	2	—	—	—	1
Talunga	2,350	2,166	4,516	94	92	186	4.1	7	9	1	—	—	—	—	—	1	—	3	1	—	1	—	—	—	3
Highercombe	842	810	1,652	44	40	84	5.2	7	4	—	1	1	1	—	—	1	—	—	—	1	—	1	—	—	1
Port Gawler	3,337	2,977	6,314	74	73	147	2.3	13	10	6	5	1	1	—	—	1	—	2	—	1	1	—	1	1	1
Crawford	1,076	946	2,022	12	17	29	1.4	1	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Barossa	5,030	4,588	9,618	147	137	284	2.9	23	11	6	8	1	—	—	1	1	1	1	1	—	4	3	2	1	3
Angaston	2,575	2,427	5,002	158	133	291	5.8	23	14	3	4	—	—	2	1	—	2	2	2	—	2	1	—	—	—
Kapunda	4,572	4,071	8,643	124	119	243	2.8	31	28	3	6	1	—	1	1	1	—	2	1	2	1	4	1	1	1
Gilbert	2,703	2,134	4,837	84	63	147	3.0	7	8	3	2	1	1	—	1	—	4	2	—	—	—	—	—	—	1
Burra	2,197	2,006	4,203	134	123	257	6.1	25	23	7	9	1	1	1	1	1	1	2	—	—	1	—	2	3	3
Clare	5,445	4,099	9,544	176	142	318	3.3	41	11	7	2	—	2	1	—	2	2	—	—	5	1	2	2	1	5
Flinders	1,563	927	2,490	40	45	85	3.5	2	3	1	—	2	2	—	—	—	—	—	—	—	—	—	—	2	1
Frome	1,031	862	1,893	26	28	54	3.0	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Daly	4,849	3,800	8,649	71	67	138	1.6	14	15	—	3	—	—	—	1	—	—	2	—	1	—	2	1	1	2
Total	85,178	77,904	163,082*	3,470	3,312	6,782	4.161	668	510	105	102	21	28	21	18	30	45	41	33	29	34	49	42	56	56

* December 31, 1865.

Return of Deaths, with Diseases and Ages, registered in the Province

Class.	[Ages..... CAUSES OF DEATH.	1		2		3		4		5		10		15		20		25		30		35		40	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	All causes	668	510	105	102	21	28	21	18	30	45	41	33	29	34	49	42	56	56	58	70	70	36	60	48
	Specified causes	662	503	104	99	21	28	21	18	29	45	41	33	28	34	49	42	56	56	55	68	68	36	59	47
	Classes.																								
I.	Zymotic diseases.....	183	139	40	27	12	14	9	11	11	25	19	15	16	15	29	15	26	17	14	15	6	5	6	7
II.	Constitutional diseases.....	22	22	11	9	—	1	2	—	5	1	—	2	3	4	8	6	8	14	15	21	22	9	14	13
III.	Local diseases	186	134	28	33	8	10	6	7	10	14	13	14	5	11	7	11	11	16	17	24	33	13	30	20
IV.	Developmental diseases	266	202	21	22	1	—	2	—	1	—	3	2	—	—	1	6	1	8	—	8	—	7	2	7
V.	Violent deaths.....	5	6	4	8	—	3	2	—	2	5	6	—	4	4	4	4	10	1	9	—	7	2	7	—
	Orders.																								
I.	1. Miasmatic diseases	161	121	40	27	12	13	9	11	11	25	19	15	16	15	29	15	26	17	13	15	4	5	5	6
	2. Enthetic diseases	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Dietic diseases	10	7	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	1
	4. Parasitic diseases	10	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. Diathetic diseases	2	3	1	1	—	—	1	—	2	—	—	—	—	1	—	1	—	1	—	1	3	1	4	6
	2. Tubercular diseases	20	19	10	8	—	1	1	—	3	1	—	2	3	3	8	5	8	13	15	20	19	8	10	7
III.	1. Diseases of nervous system	123	86	14	11	4	6	3	—	5	6	2	3	1	1	3	3	5	4	5	4	10	4	8	5
	2. Diseases of organs of circulation	2	3	—	—	—	—	—	—	1	1	1	1	2	1	2	2	1	5	2	7	9	—	6	4
	3. Diseases of respiratory organs.....	20	23	6	9	1	3	2	4	3	5	6	7	1	8	—	3	4	1	5	5	7	5	7	5
	4. Diseases of digestive organs.....	39	21	7	11	3	1	1	3	—	2	4	3	1	1	1	3	1	3	2	7	4	4	3	6
	5. Diseases of urinary organs	1	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	2	3	1	2	—	6	—
	6. Diseases of organs of generation.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	7. Diseases of organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	8. Diseases of integumentary system	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	1. Congenital malformations and develop- mental diseases of children	82	77	7	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2. Developmental diseases of adults	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	6	—	7	—	6	—	7
	3. Developmental diseases of old people.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. Diseases of nutrition	184	125	14	10	1	—	2	—	1	—	3	2	—	—	1	—	1	2	—	1	—	1	2	—
V.	1. Accident or negligence	5	6	4	8	—	3	2	—	2	5	6	—	4	4	4	4	8	1	7	—	6	1	7	—
	3. Homicide.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	4. Suicide.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	1	—	—
I.	Order 1.																								
	Scarlatina	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	3	7	2	2	1	1	—	—	1	7	3	4	2	1	—	—	—	—	—	—	—	—	—	—
	Croup	4	1	6	3	1	1	3	1	1	4	3	1	1	—	—	—	—	—	—	—	—	—	—	—
	Typhus	4	2	2	1	7	2	8	5	7	9	8	10	14	26	15	25	13	13	13	2	3	4	4	—
	Erysipelas.....	4	2	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	2	1	2	2	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dysentery.....	38	18	8	7	4	—	1	—	—	—	1	—	—	—	—	—	1	—	2	—	1	—	—	—
	Diarrhoea	91	81	13	7	2	1	—	1	3	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—
	Cholera	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Remittent fever	8	4	6	3	1	3	2	1	—	5	1	—	2	—	2	—	1	—	—	—	—	—	—	—
	Rheumatism.....	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	1	—	—	—	—	1	1	—	1
	Order 2.																								
	Syphilis	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Stricture of urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Order 3.																								
	Privation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Want of breast milk	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Purpura and scurvy	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Alcohol { a Delirium tremens.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	1
	{ b Intemperance.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths.																														Per cent.	DISTRICTS.			
30		35		40		45		50		55		60		65		70		75		80		85		90		95		?				Total.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.
36	43	40	21	36	24	38	16	26	16	37	18	20	14	22	11	14	10	14	12	6	5	1	3	1	-	-	4	1	828	614	1,472	2-68	Adelaide	
2	2	-	-	1	-	2	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25	17	42	0-9	Willunga	
-	1	2	2	1	4	1	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	17	24	41	1-1	Yankalilla	
-	1	1	2	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	15	33	1-0	Encounter Bay	
-	3	1	1	3	3	2	4	4	3	1	2	3	-	1	2	1	1	-	1	-	-	1	1	-	-	1	-	-	67	55	122	2-3	Strathalbyn	
2	-	-	-	2	1	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	13	16	29	1-7	Robe	
3	1	2	1	1	4	1	1	1	1	2	3	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	35	53	88	1-3	Grey	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0-1	Wellington	
-	-	-	1	-	-	2	-	1	-	2	-	-	2	-	-	3	-	-	1	-	1	-	-	-	-	-	-	-	23	12	35	1-4	Morphett Vale	
1	-	-	-	1	-	3	1	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	27	11	38	1-3	Mount Barker	
-	1	3	3	1	-	2	1	1	2	2	-	-	-	2	-	-	1	-	3	1	2	1	-	-	-	1	-	-	41	43	84	1-3	Nairne	
2	4	1	-	1	1	-	-	2	1	-	-	-	-	-	-	3	1	1	1	-	1	-	-	-	-	-	-	-	25	23	48	1-1	Talunga	
2	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	17	9	26	1-6	Highercombe	
-	-	-	-	1	2	-	-	-	2	-	-	3	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	29	27	56	0-9	Port Gawler	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	0-3	Crawford	
-	2	1	2	2	2	-	-	1	2	1	2	2	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	44	45	89	0-9	Barossa	
-	-	4	1	1	1	2	-	2	1	6	-	-	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	50	32	82	1-6	Angaston	
3	3	4	1	-	-	-	1	4	1	1	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	62	47	109	1-3	Kapunda	
1	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	19	18	37	0-8	Gilbert	
-	5	2	-	2	3	1	1	5	2	4	-	6	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	60	53	113	2-7	Burra	
4	2	6	-	2	2	3	1	3	-	2	-	3	-	3	2	2	-	-	2	-	-	-	-	-	-	-	-	-	87	34	121	1-3	Clare	
1	-	1	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	6	15	0-6	Flinders	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4	14	0-8	Frome	
-	1	1	-	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	25	51	0-6	Daly	
58	70	70	36	60	48	66	27	54	33	60	27	47	24	41	24	24	18	19	25	9	9	3	4	1	-	1	5	2	1,537	1,216	2,753	1-689		

of South Australia, during the Year ended December 31, 1866.

[illegible]

Return of Deaths, with Diseases and Ages, registered in the Province

45		50		55		60		65		70		75		80		85		90		95		?		Total.			CAUSES OF DEATH.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	9	19	Thrush	Order 4.	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Gout	Order 1.	
1	3	2	2	7	2	2	2	2	1	—	—	2	4	—	—	—	—	—	—	—	—	—	—	25	24	49	Dropsy		
2	1	1	2	3	3	1	1	3	1	2	1	1	—	—	—	—	—	—	—	—	—	—	16	11	27	Cancer			
—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	Noma		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	5	8	Mortification	Order 2.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	Scrofula		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	17	25	Tabes mesenterica		
13	3	6	3	8	2	4	1	3	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	103	73	176	Phthisis		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	9	29	Hydrocephalus	Order 1.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	7	Cephalitis		
1	—	4	2	4	1	1	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	22	9	31	Apoplexy		
—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8	4	12	Paralysis		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	Insanity		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	Chorea	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	4	9	Epilepsy		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	99	82	181	Convulsions		
4	—	4	1	2	—	—	1	2	2	6	—	2	—	—	—	—	—	—	—	—	—	—	—	83	44	127	Brain disease, &c.	Order 2.	
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	3	Pericarditis		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	Aneurism		
4	3	6	2	7	2	7	2	5																					

Return of Births and of Classified Causes of Deaths registered in the

MONTHS.	BIRTHS.			DEATHS.	[Ages...	1		2		3		4		5		10		15		20		25		30		
	M.	F.	Total.			Causes of Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January.....	240	237	477	All causes	86	47	11	10	2	2	2	1	3	6	3	3	—	3	2	3	4	4	5	7		
				Zymotic diseases.....	30	18	5	1	1	1	—	1	—	4	1	2	—	1	2	1	—	2	1	2		
				Constitutional diseases.....	2	1	2	2	—	—	—	—	—	2	1	1	—	—	—	—	1	—	3	3		
				Local diseases	20	14	3	5	—	1	2	—	—	—	1	—	—	—	—	—	2	—	3	2		
				Developmental diseases	32	14	1	2	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—		
				Violent deaths	1	—	—	—	—	—	—	—	—	1	1	—	—	2	—	2	1	—	1	—		
February	266	237	463	All causes	78	60	8	11	—	2	5	1	—	1	5	2	3	4	4	2	3	5	8	5		
				Zymotic diseases.....	25	26	2	1	—	2	1	—	—	1	2	—	1	2	—	2	2	2	2	2		
				Constitutional diseases.....	4	1	—	3	—	—	—	—	—	—	—	—	1	1	2	—	1	2	1	—		
				Local diseases	20	14	1	3	—	—	3	1	—	—	2	2	1	3	—	2	—	1	3	1		
				Developmental diseases	28	18	5	4	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	2		
				Violent deaths	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—		
March	297	278	575	All causes	84	69	17	13	5	3	2	—	2	—	5	4	3	3	5	7	5	7	7	6		
				Zymotic diseases.....	33	26	9	5	5	2	1	—	1	—	2	2	2	2	3	1	4	3	—	—		
				Constitutional diseases.....	2	5	—	2	—	—	—	—	—	—	—	1	1	2	2	1	2	2	1	1		
				Local diseases	18	13	4	3	—	1	1	—	—	—	1	2	—	—	2	2	2	3	3	3		
				Developmental diseases	31	23	2	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	3	1		
				Violent deaths	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	3	—	—		
April	290	249	539	All causes	97	68	8	12	1	2	3	3	3	6	7	1	3	3	5	3	9	6	3	9		
				Zymotic diseases.....	25	17	2	2	—	1	1	3	2	4	5	—	1	2	4	2	4	3	1	4		
				Constitutional diseases.....	4	7	1	1	—	—	2	—	1	—	—	—	1	—	1	—	1	1	1	4		
				Local diseases	30	20	2	5	1	1	—	—	—	1	2	1	1	—	—	3	1	1	1	1		
				Developmental diseases	36	23	2	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				Violent deaths	1	1	1	—	—	—	—	—	—	1	—	—	—	1	—	1	1	—	—	—		
May	308	273	581	All causes	71	58	18	4	1	2	2	3	7	3	5	7	4	5	7	7	8	9	7	11		
				Zymotic diseases.....	19	11	9	1	1	—	2	2	3	2	2	3	3	3	7	4	4	3	4	2		
				Constitutional diseases.....	1	2	3	—	—	1	—	—	1	—	—	—	—	—	—	—	3	2	3	3		
				Local diseases	17	19	2	2	—	1	—	1	3	1	3	3	—	2	—	3	2	2	—	4		
				Developmental diseases	33	26	4	1	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	2		
				Violent deaths	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—		
June	349	572	721	All causes	56	58	6	10	3	5	—	5	5	6	1	2	6	8	10	7	10	6	3	2		
				Zymotic diseases.....	10	11	1	2	3	3	—	4	3	2	1	2	6	5	7	4	6	2	1	—		
				Constitutional diseases.....	2	2	2	1	—	—	—	—	—	—	—	—	1	—	1	—	1	2	—	2		
				Local diseases	11	14	1	2	—	1	—	1	—	3	—	—	1	3	2	1	2	2	—	—		
				Developmental diseases	31	27	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				Violent deaths.....	1	1	—	3	—	1	—	—	1	1	—	—	1	—	—	3	—	—	—	—		
July	310	319	629	All causes	35	21	8	6	2	2	1	1	1	5	5	3	2	2	1	2	3	3	3	2		
				Zymotic diseases.....	2	4	2	3	—	1	1	—	1	2	3	1	1	1	—	1	2	2	—	—		
				Constitutional diseases.....	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—			
				Local diseases	14	6	2	2	2	1	—	1	—	2	2	1	1	1	1	1	—	2	—	—		
				Developmental diseases	17	10	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
				Violent deaths	1	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
August	290	289	579	All causes	28	19	8	5	1	2	1	1	—	4	4	3	2	2	2	4	1	—	6	8		
				Zymotic diseases.....	4	4	1	1	—	1	1	—	—	2	3	2	1	1	1	—	—	—	1	1		
				Constitutional diseases.....	2	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	3		
				Local diseases	12	6	3	2	—	2	—	—	—	1	1	1	1	—	—	—	1	—	1	4		
				Developmental diseases	10	9	3	2	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—		
				Violent deaths.....	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
September.....	306	303	609	All causes	24	20	2	1	3	1	1	1	3	4	—	2	2	1	4	3	6	5	5	4		
				Zymotic diseases.....	5	2	1	—	1	1	1	—	1	4	—	1	1	—	1	1	2	—	1	1		
				Constitutional diseases.....	2	—	—	—	—	—	—	—	1	—	—	—	—	2	—	1	2	3	—	—		
				Local diseases	6	3	1	—	2	—	—	1	1	—	—	1	1	1	1	1	—	3	—	3		
				Developmental diseases	11	13	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
				Violent deaths.....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—		
October	284	283	567	All causes	21	17	—	3	—	—	1	—	1	2	—	1	—	—	1	—	2	3	2	5		
				Zymotic diseases.....	5	3	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
				Constitutional diseases.....	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	—		
				Local diseases	8	6	—	1	—	—	—	—	1	1	—	—	—	—	—	—	1	2	1	—		
				Developmental diseases	7	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
				Violent deaths.....	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—		
November.....	280	259	539	All causes	36	24	5	6	—	4	—	—	2	4	1	2	—	—	6	1	2	5	6	7		
				Zymotic diseases.....	7	6	3	3	—	2	—	—	—	1	—	1	—	—	2	1	1	3	—	—		
				Constitutional diseases.....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—		
				Local diseases	15	6	1	1	—	1</																

Province of South Australia in the Months of the Year ended December 31, 1866.

35		40		45		50		55		60		65		70		75		80		85		90		95	?		Total.			DEATHS.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.		
1	4	11	5	7	5	5	2	4	1	9	3	3	1	2	1	2	1	—	1	—	—	—	—	—	—	1	162	111	273	All causes
1	—	—	—	—	1	1	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	45	36	81	Zymotic diseases
—	1	2	1	3	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	12	26	Constitutional diseases
—	1	7	4	3	3	3	1	—	—	6	3	2	1	1	—	1	1	—	—	—	—	—	—	—	—	1	54	37	91	Local diseases
—	1	1	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	39	19	58	Developmental diseases
—	1	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	6	15	Violent deaths
5	2	2	4	2	2	4	2	6	2	3	3	6	1	2	2	—	—	1	2	—	1	—	—	—	3	148	114	262	All causes	
1	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	38	37	75	Zymotic diseases	
1	—	—	1	1	1	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	11	26	Constitutional diseases
2	—	2	1	1	1	3	2	2	2	1	2	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	44	37	81	Local diseases
1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	1	2	—	1	—	—	—	—	—	40	28	68	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8	—	8	Violent deaths	
7	3	5	4	4	2	3	1	10	3	5	4	4	—	3	3	2	3	1	1	—	—	1	—	—	—	1	180	137	317	All causes
1	1	—	1	1	—	—	1	3	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	67	45	112	Zymotic diseases
3	1	1	2	—	—	1	—	3	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	16	20	36	Constitutional diseases
1	—	3	—	—	1	2	—	4	2	2	2	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	45	32	77	Local diseases
—	1	1	1	2	—	—	—	—	—	1	2	1	—	1	—	1	2	—	—	—	—	1	—	—	—	1	39	36	75	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	1	12	Violent deaths
6	5	1	—	7	3	7	4	5	1	4	2	5	1	3	3	1	2	—	2	—	1	—	—	1	—	—	178	138	316	All causes
2	3	—	—	1	—	1	—	2	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	52	41	93	Zymotic diseases
2	—	—	—	1	1	2	1	1	1	2	—	2	—	—	2	1	—	—	—	—	—	—	—	—	—	—	21	16	37	Constitutional diseases
2	1	—	—	2	2	3	2	2	2	1	2	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	54	40	94	Local diseases
—	—	—	—	—	—	1	—	1	—	—	—	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	41	36	77	Developmental diseases
—	—	—	—	3	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9	5	14	Violent deaths
7	2	6	3	2	2	6	4	1	2	5	2	3	3	2	1	2	5	—	—	1	—	—	—	—	—	—	165	133	293	All causes
1	2	1	1	2	1	1	1	—	2	2	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	59	37	96	Zymotic diseases
4	—	3	—	—	—	3	1	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	15	16	31	Constitutional diseases
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	41	44	85	Local diseases
2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	40	35	75	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	8	Violent deaths
5	4	5	9	7	4	6	2	3	3	4	2	5	5	2	4	1	—	—	—	1	1	—	—	—	—	—	139	143	282	All causes
—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	42	41	83	Zymotic diseases
2	2	2	2	1	1	—	—	1	1	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	10	16	26	Constitutional diseases
3	2	2	4	5	1	3	1	3	1	3	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	39	38	77	Local diseases
—	—	1	—	—	—	2	—	—	—	—	—	2	2	—	2	1	—	—	—	1	1	—	—	—	—	—	38	37	75	Developmental diseases
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	8	14	Violent deaths
4	4	5	2	3	—	3	4	6	1	2	2	4	1	1	2	4	1	1	—	1	—	—	—	—	—	—	95	64	159	All causes
1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	18	33	Zymotic diseases
1	—	2	—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	10	2	12	Constitutional diseases
1	—	2	1	2	—	3	3	3	—	—	—	1	1	1	2	4	—	—	—	—	—	—	—	—	—	—	40	26	66	Local diseases
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	24	15	39	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	3	8	Violent deaths
7	2	3	6	9	4	5	3	5	3	3	—	3	2	2	—	4	—	—	—	—	—	—	—	—	—	—	94	68	162	All causes
2	1	—	2	1	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	13	28	Zymotic diseases
3	1	2	1	4	3	4	2	2	2	1	—	3	2	2	—	2	—	—	—	—	—	—	—	—	—	—	15	9	24	Constitutional diseases
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42	27	69	Local diseases
2	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	16	17	33	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

[illegible]

Adelaide during the Year ended December 31, 1866.

35		40		45		50		55		60		65		70		75		80		85		Total.			CAUSES OF DEATH.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.		
—	—	1	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	19	17	36	All causes	
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	8	12	Zymotic diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	Constitutional diseases	
—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9	6	15	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	6	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
—	—	—	—	—	—	2	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	19	12	31	All causes	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	5	Zymotic diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	Constitutional diseases	
—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	4	11	Local diseases	
—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	10	3	13	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
3	—	1	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	22	12	34	All causes	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	2	11	Zymotic diseases	
2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4	2	6	Constitutional diseases	
—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	8	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	6	Developmental diseases	
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	Violent deaths	
2	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	22	19	41	All causes	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	8	13	Zymotic diseases	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	4	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	8	5	13	Local diseases	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	5	10	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	Violent deaths	
—	1	1	—	1	—	1	—	2	—	1	—	—	—	—	1	—	—	—	1	—	—	17	18	35	All causes	
—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	6	6	12	Zymotic diseases	
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	3	2	5	Constitutional diseases	
—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	7	10	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	3	8	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
1	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	10	25	All causes	
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	8	Zymotic diseases	
—	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	5	10	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	5	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
1	1	—	—	1	—	1	1	1	—	—	1	—	—	—	1	1	—	—	—	—	—	11	9	20	All causes	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	Zymotic diseases	
—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	3	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	7	13	Local diseases	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Violent deaths	
1	—	—	1	2	—	2	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—	7	10	17	All causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	3	Zymotic diseases
1	—	—	—	1	—	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	3	1	4	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	7	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	Developmental diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Violent deaths	
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6	5	11	All causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	Zymotic diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	6	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	9	21	All causes	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	4	Zymotic diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	5	Constitutional diseases	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	7	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	5	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Violent deaths	
1	—	—	2	1	—	1	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—	13	11	24	All causes	
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	4	Zymotic diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	Constitutional diseases	
1	—	—	2	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	7	6	13	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	4	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Violent deaths	
—	1	1	—	1	1	—	1	—	—	1	—	—	2	2	—	—	—	—	1	—	—	25	17	42	All causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	2	11	Zymotic diseases	
—	1	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	2	Constitutional diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	9	19	Local diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	5	9	Developmental diseases	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	Violent deaths	

Total City of Adelaide.

Population.			Births.			Cent.	Deaths.			Cent.
Male.	Female.	Total.	Male.	Female.	Total.		Male.	Female.	Total.	
11,087	12,213	23,300	331	336	667	2·86	188	149	337	1·45

*Return of Births and Deaths Registered in South Australia in the Years
from 1861 to 1866.*

Population	124,112	130,627	135,329	140,416	147,341	156,605
Years	1861.	1862.	1863.	1864.	1865.	1866.
Births.....	5,551	6,075	5,966	6,208	6,672	6,782
Rate per cent.	4·473	4·652	4·410	4·422	4·529	4·331
Deaths—						
All causes	1,962	1,918	2,221	2,565	2,174	2,753
Rate per cent.	1·581	1·469	1·642	1·828	1·476	1·758
Specified causes	1,889	1,837	2,161	2,499	2,126	2,714
Classes—						
i. Zymotic diseases	681	516	745	1,001	545	731
ii. Constitutional diseases	218	246	205	198	236	318
iii. Local diseases.....	571	643	719	802	772	896
iv. Developmental diseases	335	350	385	396	445	643
v. Violent deaths	84	82	107	102	128	126